

くすりのしおり

注射剂

2012 年 10 月作成

薬には効果（ベネフィット）だけでなく副作用（リスク）があります。副作用をなるべく抑え、効果を最大限に引き出すことが大切です。そのために、この薬を使用される患者さんの理解と協力が必要です。

商品名:生理食塩液「フソー」〔細胞外液補充など〕

主成分:塩化ナトリウム (Sodium chloride)

剂形:注射剂

シート記載:



この薬の作用と効果について

細胞外液とほぼ等張の塩化ナトリウム液で、水および電解質の欠乏している脱水症に対して有効細胞外液量を維持し、循環を安定化させます。

通常、細胞外液（血液や細胞間液）が減少したとき、ナトリウムまたはクロールが不足したときに使用します。

次のような方は使う前に必ず担当の医師と薬剤師に伝えてください。

- ・以前に薬を使用して、かゆみ、発疹などのアレルギー症状が出たことがある。心臓もしくは腎臓が悪い。
- ・妊娠または授乳中
- ・他に薬などを使っている（お互いに作用を強めたり、弱めたりする可能性もありますので、他に使用中の一般用医薬品や食品も含めて注意してください）。

用法・用量（この薬の使い方）

- ・あなたの用法・用量は<<< :医療担当者記入>>>
・通常、皮下または静脈内に注射します。具体的な使用期間については、担当の医師にお聞きください。

生活上の注意

この薬を使ったあと気をつけていただくこと（副作用）

主な副作用として、うっ血性心不全（呼吸困難、全身のむくみ）、浮腫、アシドーシス（過呼吸、意識障害、手足の震え）などが報告されています。このような症状に気づいたら、担当の医師または薬剤師に相談してください。

まれに下記のような症状があらわれ、[]内に示した副作用の初期症状である可能性があります。

このような場合には、使用をやめて、すぐに医師の診療を受けてください。

該当する記載事項はありません。

以上の副作用はすべてを記載したものではありません。上記以外でも気になる症状が出た場合は、医師または薬剤師に相談してください。

保管方法 その他

医療担当者記入欄

年 月 日

より詳細な情報を望まれる場合は、担当の医師または薬剤師におたずねください。また、医療専門家向けの「添付文書情報」が医薬品医療機器総合機構のホームページに掲載されています。

くすりのしおり

外用剂

2012 年 11 月作成

薬には効果（ベネフィット）だけでなく副作用（リスク）があります。副作用をなるべく抑え、効果を最大限に引き出すことが大切です。そのために、この薬を使用される患者さんの理解と協力が必要です。

商品名:生理食塩液「フソー」[皮膚洗浄など]

主成分:塩化ナトリウム (Sodium chloride)

剂形:洗淨剂、含嗽剂、吸入剂

シート記載:



この薬の作用と効果について

体液とほぼ等張の塩化ナトリウム液です。

通常、皮膚・創傷面・粘膜の洗浄・湿布、うがい・噴霧吸入剤として気管支粘膜の洗浄や喀痰の排出促進に使用します。

次のような方は使う前に必ず担当の医師と薬剤師に伝えてください。

- ・以前に薬を使用して、かゆみ、発疹などのアレルギー症状が出たことがある。
- ・妊娠または授乳中
- ・他に薬などを使っている（お互いに作用を強めたり、弱めたりする可能性もありますので、他に使用中の一般用医薬品や食品も含めて注意してください）。

用法・用量（この薬の使い方）

- ・ **あなたの用法・用量は** << >> :医療担当者記入>>
- ・ 通常、皮膚、創傷面、粘膜の洗浄、湿布に用います。また、うがいや噴霧吸入にも用います。必ず指示された使用方法に従ってください。
 - ・ 医師の指示なしに、自分の判断で使うのを止めないでください。

生活上の注意

この薬を使ったあと気をつけていただくこと（副作用）

該当する記載事項はありません。

まれに下記のような症状があらわれ、[]内に示した副作用の初期症状である可能性があります。

このような場合には、使用をやめて、すぐに医師の診療を受けてください。

該当する記載事項はありません。

以上の副作用はすべてを記載したものではありません。上記以外でも気になる症状が出た場合は、医師または薬剤師に相談してください。

保管方法 その他

- ・乳幼児、小児の手の届かないところで、直射日光、高温、湿気を避けて保管してください。
- ・薬が残った場合、保管しないで廃棄してください。

医療担当者記入欄

年 月 日

より詳細な情報を望まれる場合は、担当の医師または薬剤師におたずねください。また、医療専門家向けの「添付文書情報」が医薬品医療機器総合機構のホームページに掲載されています。

Drug Information Sheet("Kusuri-no-Shiori")

Injection

Published: 10/2012

The information on this sheet is based on approvals granted by the Japanese regulatory authority. Approval details may vary by country. Medicines have adverse reactions (risks) as well as efficacies (benefits). It is important to minimize adverse reactions and maximize efficacy. To obtain a better therapeutic response, patients should understand their medication and cooperate with the treatment.

Brand name: Isotonic sodium chloride solution "Fuso" [extracellular fluid replacement, etc.]

Active ingredient: Sodium chloride

Dosage form: Injection

Imprint or print on wrapping:



Effects of this medicine

This medicine is a sodium chloride solution which is mostly isotonic with extracellular fluid. It maintains effective extracellular fluid volume and stabilizes circulation for dehydration, which is deficient in water and electrolytes. It is usually used when extracellular fluid (blood or intercellular fluid) decreases or when sodium or chloride is insufficient.

The following patients may need to be careful when using this medicine. Be sure to tell your doctor and pharmacist.

- If you have previously experienced any allergic reactions (itch, rash, etc.) to any medicines. If you have cardiac disorder or renal disorder.
- If you are pregnant or breastfeeding.
- If you are taking any other medicinal products. (Some medicines may interact to enhance or diminish medicinal effects. Beware of over-the-counter medicines and dietary supplements as well as other prescription medicines.)

Dosing schedule (How to take this medicine)

- Your dosing schedule prescribed by your doctor is((to be written by a healthcare professional))
- In general, this medicine is injected subcutaneously or intravenously. Ask your doctor about the duration of use.

Precautions while taking this medicine

Possible adverse reactions to this medicine

The most commonly reported adverse reactions include congestive heart failure (dyspnea, systemic edema), edema and acidosis (hyperpnea, disturbed consciousness and trembling of limbs). If any of these symptoms occur, consult with your doctor or pharmacist.

The symptoms described below are rarely seen as initial symptoms of the adverse reactions indicated in brackets. If any of these symptoms occur, stop taking this medicine and see your doctor immediately.

No pertinent entries.

The above symptoms do not describe all the adverse reactions to this medicine. Consult with your doctor or pharmacist if you notice any symptoms of concern other than those listed above.

Storage conditions and other information

For healthcare professional use only

/ /

For further information, talk to your doctor or pharmacist.

Drug Information Sheet("Kusuri-no-Shiori")

External

Published: 11/2012

The information on this sheet is based on approvals granted by the Japanese regulatory authority. Approval details may vary by country. Medicines have adverse reactions (risks) as well as efficacies (benefits). It is important to minimize adverse reactions and maximize efficacy. To obtain a better therapeutic response, patients should understand their medication and cooperate with the treatment.

Brand name: Isotonic sodium chloride solution "Fuso" [skin cleansing, etc.]

Active ingredient: Sodium chloride

Dosage form: detergent, mouthrinse, inhalant

Imprint or print on wrapping:



Effects of this medicine

This is a sodium chloride solution which is mostly isotonic with body fluid. It is usually used to cleanse skin / wound surface / mucosa, used as a compress, and also used as a gargle or spray inhalant to irrigate the bronchial mucosa and promote the discharge of sputum.

The following patients may need to be careful when using this medicine. Be sure to tell your doctor and pharmacist.

- If you have previously experienced any allergic reactions (itch, rash, etc.) to any medicines or foods.
- If you are pregnant or breastfeeding.
- If you are taking any other medicinal products. (Some medicines may interact to enhance or diminish medicinal effects. Beware of over-the-counter medicines and dietary supplements as well as other prescription medicines.)

Dosing schedule (How to take this medicine)

- Your dosing schedule prescribed by your doctor is((to be written by a healthcare professional))
- It is usually used for cleaning skin, wound surface, mucosa and compresses. It is also used for gargling and spraying. Strictly follow the instructions.
- It is usually used for cleansing skin, wound surface, mucosa, and used as a compress. It is also used for gargling and spraying. Strictly follow the instructions.

Precautions while taking this medicine

Possible adverse reactions to this medicine

No pertinent entries.

The symptoms described below are rarely seen as initial symptoms of the adverse reactions indicated in brackets. If any of these symptoms occur, stop taking this medicine and see your doctor immediately.

No pertinent entries.

The above symptoms do not describe all the adverse reactions to this medicine. Consult with your doctor or pharmacist if you notice any symptoms of concern other than those listed above.

Storage conditions and other information

For healthcare professional use only / /

For further information, talk to your doctor or pharmacist.